

Electrical Equipment for Explosive Atmospheres Certificate of Type Verification

Applicant	Wan Jiun Technology Co, Ltd.										
Applicant address	11F., No. 896, Jingguo Rd., Luzhu Dist., Taoyuan City 338, Taiwan	TEL	+886-3-3161585								
Manufacturer	R. STAHL Schaltgeräte GmbH										
Manufacturer address	Am Bahnhof 30 74638 Waldenburg Germany	TEL	+49(0)7942/ 943-4162								
Name of product Type	Flameproof Enclosure 8265/**-***										
Ex marking	Ex d e IIC Gb Ex tb IIIC Db										
Certificate No.	(ITRI)2013-07-00431U										
Date of first issue	Sep. 11, 2013										
Date of Renewal	Sep. 09, 2019										
Valid period	Sep. 11, 2019 to Sep. 10, 2022										
Standards:	CNS 3376-0 : 2014; CNS 3376-1 : 2008; CNS 3376-7 : 2008; IEC 60079-31 : 2008.										
Ratings:	1000 V, 250 A.										
Ambient temperature:	-60°C~+60°C										
Main components:	Enclosure, Gasket.										
Type variants:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Flameproof Enclosure</td> <td>8265/ab-cde</td> </tr> <tr> <td>a</td> <td>Version : 0 = Flameproof enclosure 6 = Triple certified enclosure</td> </tr> <tr> <td>b</td> <td>Dimensions (Length x Width x Height): 1 = 125 x 125 x 132 mm 2 = 155 x 155 x 132 mm 3 = 195 x 195 x 172 mm 4 = 236 x 236 x 227 mm 5 = 285 x 285 x 230 mm 6 = 335 x 335 x 281 mm</td> </tr> <tr> <td>c, d, e</td> <td>Further particulars unrelated to the explosion protection</td> </tr> </table>			Flameproof Enclosure	8265/ab-cde	a	Version : 0 = Flameproof enclosure 6 = Triple certified enclosure	b	Dimensions (Length x Width x Height): 1 = 125 x 125 x 132 mm 2 = 155 x 155 x 132 mm 3 = 195 x 195 x 172 mm 4 = 236 x 236 x 227 mm 5 = 285 x 285 x 230 mm 6 = 335 x 335 x 281 mm	c, d, e	Further particulars unrelated to the explosion protection
Flameproof Enclosure	8265/ab-cde										
a	Version : 0 = Flameproof enclosure 6 = Triple certified enclosure										
b	Dimensions (Length x Width x Height): 1 = 125 x 125 x 132 mm 2 = 155 x 155 x 132 mm 3 = 195 x 195 x 172 mm 4 = 236 x 236 x 227 mm 5 = 285 x 285 x 230 mm 6 = 335 x 335 x 281 mm										
c, d, e	Further particulars unrelated to the explosion protection										
Schedule of limitations:	<p>For use of this enclosure incorporating other devices, the requirement specified by the product instruction must be strictly followed. Additional equipment type verification or conformity assessment shall be applied to this enclosure incorporating other devices as an equipment.</p> <p>Cable glands or blanking plugs for enclosure entries are not provided with the equipment. For safe use, certified cable glands or blanking plugs with proper type of protections shall be correctly fitted to maintain the integrity of special protections.</p>										

Certificate issued by

Industrial Technology Research Institute
195 Sec. 4, Chung Hsing Rd., Chutung, Hsinchu, 31057, Taiwan



Electrical Equipment for Explosive Atmospheres

Certificate of Type Verification

Certificate No.: (ITRI)2013-07-00431U

Applicant	Wan Jiun Technology Co, Ltd.	
Approval reference:	The evaluation for this project is based on the IECEx certificates (IECEx-PTB 07.0027U) issued by Physikalisch-Technische Bundesanstalt (PTB), Germany and the associate test reports (DE/PTB/ExTR10.0031/02). The certificate for this project is issued to 3 years.	
Certificate history:	Issue 1 (C655RU3100-54)	(2013-09-11)
	Issue 2 (A201600666)	(2016-12-20)
	Issue 3 (B201700270)	(2019-09-09)

Certificate issued by

Industrial Technology Research Institute

195 Sec. 4, Chung Hsing Rd., Chung, Hsinchu, 31057, Taiwan

